


1	2	3	4	5	6	7	8
Dept	Qty	REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED	
DC	1	A	NEW RELEASE	WPY 03/17/25'			
ED	1						
IE	1						
ISO	1						
PD	1						
R&D	1						
SD	1						
QA	1						
QC	1						
QE	1						

The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights of CONNFLY Electronic Co., Ltd. are strictly protected. All intellectual properties provided herein are for reference purposes only and does not constitute authorization of its use in any format or manner. CONNFLY may enforce its intellectual property rights at its own discretion; failures or delays to exercise such rights does not constitute a waiver of such rights.



The body is made of high-end S45C material

The handle is made of high-end PP material and ergonomic, with a streamlined design that provides a comfortable grip and is not easily fatigued after prolonged use.

The mouth film of this product is made of high-grade AISI4140 material, and the surface of the body is dyed black, which is beautiful and has good rust prevention ability  
 Operating Function Range: IDC-TYPE Cable Head Height: 6mm~27.5mm  
 Maximum Width: 55mm




Notes:  
 1. Scope of operation functions: IDC type cable head  
 2. Height: 6mm~27.5mm  
 3. Larger width: 55mm

Materials:  
 1. Main body: S45C, Blacking treatment  
 2. Mouth molds: AISI4140, hardness: 45° ± 3°  
 3. Anti slip handle: PP

Accurate size, The body can replace various mouth molds, with high economic benefits.  
 Product Number Code:  
 DS1201-08-X X

- Crimping Type:  
1: Type I
- Plastic Color:  
R: Red



GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	FC cable crimping pliers	
X.	±0.60	X.	±5°	UNITS	mm			
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1201-08 SERIES	
.XX	±0.25	.XX	±2°	晨翔电子有限公司 <b>CONNFLY CONNFLY ELECTRONIC CO. LTD</b>				
DRAWING TYPE		CUSTOMER						
SCALE	1:1	SHEET	1 OF 1					
DRAWING NO.		C-DS1201-08-XX-A						