


Dept	Qty
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QE	1


The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNFLY or its affiliates. Unauthorized use or modification is strictly prohibited. CONNFLY may enforce its intellectual property rights at its own discretion, failure or delays to exercise such rights does not constitute a waiver of such rights.



REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	LL 05/06/06'		LJC 05/06/06'
B	DRAWING UPDATE	JLZ 05/09/16'		
C	DRAWING UPDATE	JLZ 05/26/22'		

NOTES:

1. Materials
  - 1.1. Insulator: thermoplastic
2. Specifications
  - 2.1. Temperature range: -20~+80°C.
  - 2.2. Contact resistance: 100mΩ max.
  - 2.3. Insulation resistance: 1000MΩ min. Per minute.
  - 2.4. Dielectric withstanding voltage: AC 500V
3. Product number code:



GENERAL TOLERANCE		ANGLE TOLERANCE	
X.	±0.60	X.	±5°
.X	±0.38	.X	±3°
.XX	±0.25	.XX	±2°
DRAWING TYPE	CUSTOMER		
SCALE	1:1	SHEET	1 OF 1
DRAWING NO.	C-DS1136-10-XXXX-C		

PROJECTION		TITLE	
UNITS	mm	Bread Board pitch 2.54mm	
SHEET SIZE	A4	SERIES	DS1136-10 SERIES
<b>晨翔电子有限公司</b> CONNFLY CONNFLY ELECTRONIC CO. LTD			